

Chu Rebecca

From: Amy Essig Desai <aedesai@farallonconsulting.com>
Sent: Monday, May 04, 2015 5:38 PM
To: Chu Rebecca
Cc: Gilbert Leon (gleon@emjmetals.com); Dyer, Miles (mdyer@JorgensenForge.com) (mdyer@JorgensenForge.com); Ian Sutton; William Joyce; Elizabeth Appy (eappy@anchorqea.com); Ryan Barth; Blankenship, Melissa; Freier-Coppinger, Romy (ECY) (rfre461@ecy.wa.gov); 'David Templeton' (dtempleton@anchorqea.com); Ernst, William D
Subject: EMJ Removal Action - Second Revised Pre-Final Certification Inspection Letter Report
Attachments: removed.txt; Second Revised_JF EAA Pre-final Cert Insp Report_050415.pdf

Becky,

Please find attached the Second Revised Pre-Final Certification Inspection Letter Report which has been revised to address the U.S. Environmental Protection Agency's (EPA's) comments on the *Pre-final Certification Inspection Letter Report* dated December 12, 2014, and the *Revised Pre-final Certification Inspection Report* dated April 3, 2015. Responses to EPA's December 12, 2014 and April 3, 2015 comments are included as Attachment A in the Second Revised Pre-Final Certification Inspection Letter Report. The responses to comments included in Appendix A address all of EPA's comments except for one. Farallon requests that EPA postpone its requirement to revise the "20x the RvAL" language as currently drafted in the Construction Quality Assurance Plan pending collection and evaluation of the additional z-layer sampling and surface sediment sampling anticipated in the near future after EMJ obtains EPA's approval on Addendum No. 2 to the Operations, Monitoring, and Maintenance Plan and Modification No. 1 to the Construction Quality Assurance Plan submitted to EPA for review on April 22.

Please let me know if any questions arise during EPA's review.

Thanks,
Amy

Amy Essig Desai | Principal | Farallon Consulting, L.L.C

975 5th Avenue NW | Issaquah, Washington | 98027

Direct: 425.295.0810 | Cell: 425.241.1540



This correspondence contains confidential or privileged information from Farallon Consulting and may be "Attorney-Client Privileged" and protected as "Work Product". The information contained herein is intended for the use of the individual or party named above. If you are not the intended recipient, note that any copying, distribution, disclosure, or use of the text and/or attached document(s) is strictly prohibited. If you have received this correspondence in error, please notify us immediately. Thank you.